

UKWW AD 2VINNYTSIA/Gavryshivka / ВІННИЦЯ/Гавришівка**UKWW AD 2.1 Aerodrome Location Indicator and Name / Індекс місця розташування і назва аеродрому**

UKWW - Vinnytsia/Gavryshivka International

UKWW - Вінниця/Гавришівка Міжнародний

UKWW AD 2.2 Aerodrome Geographical and Administrative data / Географічні й адміністративні дані по аеродрому

1	ARP coordinates and site at AD	491433N 0283650E in the centre of RWY
2	Direction and distance from (city)	7.5 km eastward from railway station Vinnytsia and 1 km SW from Gavryshivka
3	Elevation/Reference temperature	297 M / 21°C
4	Geoid undulation at AD ELEV PSN	31.3 M
5	MAG VAR/Annual Change	6° E (2014) / nil
6	AD Administration, address, telephone, telefax, telex, AFS	Municipal enterprise "Airport Vinnytsia" Postal Address: Airport, Gavryshivka, Vinnytsia region, Ukraine, 21202 Phone: +38 0432 61 05 49 Fax: +38 0432 61 05 49 AFS: UKWWAPDU
7	Types of traffic permitted (IFR/VFR)	IFR/VFR
8	Remarks	nil

UKWW AD 2.3 Operational Hours / Часи роботи

1	AD Administration	06:00-18:00 (05:00-17:00)
2	Customs and immigration	O/R
3	Health and sanitation	As AD Administration
4	AIS Briefing Office	H24 Briefing Office AD UKKK Phone: +38 044 351 64 12; Fax: +38 044 246 21 85; AFS: UKKKZPX E-mail: ukkksai@uksatse.aero
5	ATS Reporting office (ARO)	H24 Briefing Office AD UKKK Phone: +38 044 351 64 12; Fax: +38 044 246 21 85; AFS: UKKKZPX E-mail: ukkksai@uksatse.aero
6	Air traffic service	As AD Administration
7	MET Briefing Office	04:00-18:00 (03:00-17:00)
8	Fuelling	With request for 1 day
9	Handling	As AD Administration
10	Security	H24
11	De-icing	As AD Administration
12	Remark	Change and prolongation of hours of operation by previous coordination for 1 day

UKWW AD 2.4 Handling Services and Facilities / Служби і засоби по обслуговуванню

1	Cargo-Handling facilities	Equipment for cargo lifting up to 2 tons
2	Fuel/oil types	TS-1 / nil
3	Fuelling facilities/capacity	1 truck 22000 litres, 40 litres per second; 1 truck 7500 litres, 30 litres per second
4	De-icing facilities	Machine for liquid "Arctic"
5	Hangar space for visiting aircraft	nil
6	Repair facilities for visiting aircraft	nil
7	Remark	nil

UKWW AD 2.5 Passenger Facilities / Засоби для обслуговування пасажирів

1	Hotels	In the city
2	Restaurants	In the city
3	Transportation	Bus, taxi
4	Medical facilities	First aid at AD. Hospital in the city
5	Bank and Post Office	Banks in the city. Post office at airport
6	Tourist Office	In the city
7	Remark	nil

UKWW AD 2.6 Rescue and fire fighting services / Аварійно-рятувальна і протипожежна служба

1	AD category for Fire fighting	CAT 7
2	Rescue equipment	Rescue and fire-fighting vehicles are equipped in accordance with category 7
3	Capability for removal of disabled aircraft	For ACFT with weight up to 70 tons
4	Remark	nil

UKWW AD 2.7 Seasonal availability - clearing / Сезонне використання устаткування – видалення опадів

1	Types of clearing equipment	Brush snow ploughs, blowers, spreader of sand
2	Clearance priorities	1. RWY 13/31, TWY 3 2. Apron, zone LOC & GP 3. Other TWYs, ACFT stands, access roads
3	Remarks	nil

UKWW AD 2.8 Aprons, taxiways and check locations data / Дані по перонах, TWY і місцях перевірок

1	Apron surface and strength	Apron	Surface	Strength	
		Apron	Concrete / Asphalt concrete	PCN 25/F/D/Y/T (ACFT stands 1-8) PCN 26/R/B/W/T (ACFT stands 9-12) PCN 11/F/D/Y/T (ACFT stands 13-18)	
2	Taxiway width, surface and strength	TWY	Width	Surface	Strength
		TWY 3	18 M	Armo-concrete	PCN 25/R/B/W/T
3	Altimeter checkpoint location and elevation	nil			
4	VOR checkpoints	nil			
5	INS checkpoints	nil			
6	Remarks	nil			

UKWW AD 2.9 Surface movement guidance and control system and markings / Система керування наземним рухом і контролю за ним і відповідні маркувальні знаки

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Guidance signs at entrance to/exit from RWY, guidance signs of TWY, TWY guide lines, markings of ACFT stands. Parking is performed by instructions of marshaller
2	RWY and TWY markings and LGT	RWY: THR, designation, centre line, TDZ, fixed distance, edge RWY MRKD THR, touchdown sign, edge, end LGTD TWY: Centre line, holding positions MRKD Edges LGTD
3	Stop bars	nil
4	Remarks	nil

UKWW AD 2.10 Aerodrome obstacles / Аеродромні перешкоди

In Area 2					
Obstacle designations	Obstacle type	Obstacle position	Elevation / height	Markings / type, color	Remarks
nil	nil	nil	nil	nil	In approach & TKOF areas: See Aerodrome Obstacle Chart – ICAO Type A. In circling area and at AD: See SID, STAR charts
In Area 3					
Obstacle designations	Obstacle type	Obstacle position	Elevation / height	Markings / type, color	Remarks
nil	nil	nil	nil	nil	In approach & TKOF areas: See Aerodrome Obstacle Chart – ICAO Type A. In circling area and at AD: See SID, STAR charts

UKWW AD 2.11 Meteorological information provided / Надана метеорологічна інформація

1	Associated MET Office	Vinnytsia
2	Hours of service, MET Office outside hours	04:00-18:00 (03:00-17:00)
3	Office responsible for TAF preparation, Periods of validity	Vinnytsia/ 9 HR
4	Type of landing forecast, Interval of issuance	TREND/ 30 min
5	Briefing/consultation provided	P
6	Flight documentation, Language(s) used	C, TB, PL Russian/Русский
7	Charts and other informations available for briefing or consultation	S, U85, U70, U50, U30, P70, P50, P40, SWH, SWM, SWT, T
8	Supplementary equipment available for providing information	nil
9	ATS unit provided with information	Vinnytsia TWR
10	Additional information (limitation of service, etc.)	nil

UKWW AD 2.12 Runway physical characteristics / Фізичні характеристики RWY

Designations RWY NR	True BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
13	138.20°	2500x42	25/R/B/W/T Armo-concrete	491503.27N 0283608.40E - nil	THR 296.0 M nil
31	318.20°	2500x42	25/R/B/W/T Armo-concrete	491402.94N 0283730.79E - nil	THR 295.1 M nil
Slope of RWY-SWY	SWY dimensions	CWY dimensions	Strip dimensions	OFZ	Remarks
7	8	9	10	11	12
-0,05% / +0,18% / -0,29% 900m / 900m / 700 m	nil	400x150	3300x300	nil	nil
+0,29% / -0,18% / +0,05% 700m / 900m / 900m	nil	400x150	3300x300	nil	nil

UKWW AD 2.13 Declared distances / Наявні дистанції

RWY Designator	Take-OFF RUN Available	Take-OFF Distance Available	Accelerate-STOP Distance Available	Landing Distance Available	Remarks
1	2	3	4	5	6
13	2500	2900	2500	2500	nil
31	2500	2900	2500	2500	nil

UKWW AD 2.14 Approach and runway lighting / Вогні наближення і вогні RWY

RWY Designator	APCH LGT type LEN INTST	LGT colour WBAR	VASIS (MEHT) PAPI	TDZ LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
13	SALS 900 M LIL	Green	nil	-	nil	2500 m, 100 m white (last 600m yellow), LIL	Red	nil	Touchdown sign LGTs are installed
31	SALS 900 M LIL	Green	nil	-	nil	2500 m, 100 m white (last 600m yellow), LIL	Red	nil	Touchdown sign LGTs are installed

UKWW AD 2.15 Other lighting, secondary power supply / Інші вогні, резервне джерело електроживлення

1	ABN/IBN location, characteristics and hours of operation	nil / nil
2	LDI location and LGT Anemometer location and LGT	nil nil
3	TWY edge and centre line lighting	Centre line: not LGTD Edge: blue
4	Secondary power supply/switch over time	AVBL. Switch-over time 60 seconds
5	Remarks	nil

UKWW AD 2.16 Helicopter Landing Area / Зона посадки вертольотів

1	Coordinates TLOF or THR FATO	H №1 491434N 0283623E H №2 491437N 0283630E
2	TLOF and/or FATO elevation M	H №1 296M H №2 294.1M
3	TLOF and FATO area dimension, surface, strength, marking	H №1 - circle with a diameter of 18m, concrete, PCN 26R/B/W/T, yellow broken line, yellow letter H in the center of the circle H №2 - circle with a diameter of 18m, concrete, PCN 25R/B/W/T, yellow broken line, yellow letter H in the center of the circle
4	True BRG of FATO	Restricted sector 87° - 357°
5	Declared distance available	nil
6	APP and FATO lighting	nil
7	Remark	nil

UKWW AD 2.17 ATS Airspace / Повітряний простір ATS

Designation and lateral limits	Vertical Limits	Airspace classification	ATS unit call sign/Language(s)	Transition altitude	Hours of applicability	Remarks
1	2	3	4	5	6	7
CTR Vinnytsia/Gavryshivka 493120N 0281622E - 492439N 0283618E - 490710N 0290149E - 485534N 0284402E - 491956N 0280954E - 492816N 0280828E - 493120N 0281622E	1500 M SFC	D	Vinnytsia Tower Rus, Eng	3050 M	HX	Horizontal and vertical limits are applied during the working hours of the Air traffic services unit

UKWW AD 2.18 ATS Communication Facilities / Засоби зв'язку ATS

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
TWR	Vinnytsia Tower	128.000 MHZ	06:00 - 18:00 (05:00 - 17:00)	nil
TWR	Basket Start	124.000 MHZ	O/R	nil

UKWW AD 2.19 Radio navigation and landing aids / Радіонавігаційні засоби і засоби посадки

Type of aid and VAR (For VOR/ILS/MLS, give station declination)	ID	Frequency	Hours of operation	Site of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
LM 13	I	842.00 KHZ	HX	491526.7N 0283534.4E		
LM 31	N	842.00 KHZ	HX	491340.3N 0283804.1E		
LO 13	WI	415.00 KHZ	HX	491639.5N 0283353.1E		
LO 31	WN	415.00 KHZ	HX	491221.8N 0283951.0E		
DME 6°	VIN	CH 86X	H24	491423.6N 0283715.3E	303.0M	
LOC 13 ILS	IWI	111.10 MHZ	HX	491349.8N 0283749.4E		3° , RDH 17.2 m
GP		331.70 MHZ	HX	491458.1N 0283627.3E		
MM		75.00 MHZ	HX	491526.7N 0283534.0E		
OM		75.00 MHZ	HX	491639.5N 0283353.1E		
LOC 31 ILS	IWN	110.30 MHZ	HX	491525.7N 0283536.6E		3° , RDH 15.9 m
GP		335.00 MHZ	HX	491415.6N 0283725.5E		
MM		75.00 MHZ	HX	491340.3N 0283804.1E		
OM		75.00 MHZ	HX	491221.8N 0283951.0E		

UKWW AD 2.20 Local traffic regulations / Місцеві правила руху

Nil Nil

UKWW AD 2.21 Noise abatements procedures / Експлуатаційні прийоми зниження шуму

Nil Nil

UKWW AD 2.22 Flight procedures / Процедури польотів

Operating zone of LOC13 ILS is 10° and LOC31 ILS is 35° both sides from RWY centre line. Зона дії LOC13 ILS 10° и LOC31 ILS 35° в обидві сторони від осі RWY.

See SID, STAR and IAC charts

Дивись схеми SID, STAR та IAC

UKWW AD 2.23 Additional information / Додаткова інформація

Nil Nil